

**MOVE IT**

CASTORS • WHEELS • DOLLIES  

---

PRODUCT CATALOGUE



**SELECT**  
HARDWARE



Select Hardware distributes castors, wheels and dollies throughout the UK and Europe under the MOVE IT brand, offering a comprehensive range backed up by strong stock holdings and quality service. As part of the Shepherd Hardware group, world leaders in castors and wheels, Select has the product range, expertise and service to meet even the most demanding requirements.

# Selecting the right castor

1

## Consider the Load Rating

First, work out the load rating per castor you will require to safely move the desired object. Keep in mind the larger the total load is, the larger the wheel may be. You can always carry heavier loads with smaller wheels by using several castors.

Example:  
Load + Weight of cart or truck / Number of castors = Weight load per castor (200kg / 4 Castors = 50Kg per castor)



2

## Consider the castor type

There are many different types of castors. Choose the right specification to suit the application:



### Plate Fix

Available in all castor types. Provides the best support and stability with even load distribution.



### Stem/Peg Fix

Stem inserts into a socket located inside the furniture and is easily inserted and removed.



### Bolt Hole Fix

Available in some heavy duty castors. Comes with an M10 bolt hole to connect to existing threads.



### Swivel

Swivel castors will rotate 360 degrees which allows them to move easily in any direction.



### Swivel with Brake

As swivel castors but with the addition of a brake that when activated will stop the wheel from rolling.



### Fixed

Rigid/Fixed castors do not swivel and will only move forwards or backwards the way they are facing.



### Swivel with Total Lock Brake

As above, but the Total Lock Brake stops both the rolling of the wheel and the swivel of the castor.



3

## Application

Make sure the wheel is large enough to cope with the floor type and condition - for example if the floor has a rough surface then a larger wheel size is recommended.

Large castors provide a smoother ride with less push/pull effort required whilst smaller castors provide a lower centre of gravity and increased stability.

# 4


## How many castors of each type are needed

In building, repairing and refurbishing mobile equipment such as trolleys, benches, tables etc, various effective combinations can be used. Several types of mounting combinations are illustrated below:

Fixed Castor  Swivel Castor 


### Three Swivel

Excellent maneuverability. Ideal for barrel dollies and small portable machines.




### Tilt Mounting

A tilt mounting is the most economical but should be limited to lighter loads.




### Four Swivel; Two Fixed

Ideal for heavy loads as the 2 fixed castors help to distribute the weight and reduce the load on the swivel castors. Provides good maneuverability and easy steering.




### Two Fixed; Two Swivel

Most practical and inexpensive arrangement for straight and/or long distances. Can be used for heavy or medium loads depending on the weight capacity of the castors selected.




### Diamond Mounting

This also uses 2 swivel and 2 fixed castors but the diamond shape greatly increases maneuverability. Not recommended for ramp use.



### Four Swivel

Ideal where a side motion is frequently needed. If the castors feature total lock brakes this mounting is also practical for long, straight travel as well as use on ramps. A most versatile arrangement.



# 5

## Consider the wheel material

The wheel material has its own characteristics which will give different results under different conditions and applications.


	Polypropylene (PP)	Solid Rubber	Hard Rubber	Semi Elastic Rubber	Elastic Blue Rubber	Thermoplastic Rubber (TPR)	Polyurethane (PU)
Durability	Excellent	Fair	Good	Fair	Good	Good	Excellent
Protects Floors	Fair	Good	Excellent	Excellent	Excellent	Excellent	Good
Non-Marking	Good	Fair	Good	Good	Excellent	Excellent	Excellent
Shock Absorption	Fair	Good	Excellent	Good	Excellent	Excellent	Good
Quiet Rolling	Poor	Good	Good	Excellent	Excellent	Excellent	Excellent
Copes with extreme temperatures	Good	Poor	Excellent	Poor	Poor	Good	Good
Resistant to oils and chemicals	Fair	Poor	Excellent	Poor	Fair	Fair	Good


CONTENTS	PAGE
Castors - Light Duty - DIY, Home & Office.....	4-5
Castors - Heavy Duty.....	6-13
Replacement Wheels.....	14-16
Dollies.....	17-19


We are here to help! Contact us at:

 [www.selecthardware.com](http://www.selecthardware.com)

 [sales@selecthardware.co.uk](mailto:sales@selecthardware.co.uk)

 +44 (0) 121 561 6070

 +44 (0) 121 561 6080

 Hayes Park, The Hayes, Lye  
Nr. Stourbridge, West Midlands  
DY9 8RS UK





# Light Duty Castors

For domestic, office and other light duty applications



## Light Duty Furniture Castors - Polypropylene



- Suitable for use on light-weight furniture
- Colourful finish adds appeal
- Individually barcoded

Code	Colour	Fixing	Diameter	Inner Box Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
B12210V	Green	Plate	30mm	8	20kg	45mm	30mm	35 x 20mm	42mm
B12210O	Orange	Plate	30mm	8	20kg	45mm	30mm	35 x 20mm	42mm
B12210B	Blue	Bolt Hole	30mm	8	20kg	N/A	N/A	N/A	45mm
B12210R	Red	Bolt Hole	30mm	8	20kg	N/A	N/A	N/A	45mm





# DIY, HOME & OFFICE CASTORS

## Single Wheel Swivel Castors



- Suitable for use on light-weight furniture such as sofas, chairs, tables etc.
- Rolls well on carpeted floors.
- Black plastic wheel.
- Packed in durable clam packs for retail display - Outers of 6 Packs.

Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Stem Dia.	Total Height*
24407	Plate	32mm	2	18kg	44mm	31mm	33.5 x 21.5mm	N/A	38mm
050830N	Plate	32mm	4	18kg	44mm	31mm	33.5 x 21.5mm	N/A	38mm
24405	Plate	40mm	2	23kg	44mm	31mm	33.5 x 21.5mm	N/A	51mm
050847N	Plate	40mm	4	23kg	44mm	31mm	33.5 x 21.5mm	N/A	51mm
24403	Stem	32mm	2	18kg	N/A	N/A	N/A	7.5mm	35.5mm
24401	Stem	40mm	2	23kg	N/A	N/A	N/A	7.5mm	48.5mm
050823N	Stem	40mm	4	23kg	N/A	N/A	N/A	7.5mm	48.5mm

\* Total Height is height of castor when fitted and does not include the stem length.



## Twin Wheel Hooded Swivel Castors - Nylon



- Suitable for use on light-weight furniture such as office chairs, printer stands, light tables etc.
- Twin wheels place more wheel surface on the carpet for easier movement.
- Zinc plated steel mounting plates and stems ensure a secure fixing.
- Packed in durable clam packs for retail display - Outers of 6 Packs.

Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Stem Dia.	Total Height*
24422	Plate	40mm	2	19kg	38mm	38mm	25 x 25mm	N/A	56.5mm
24437	Plate	50mm	2	34kg	38mm	38mm	25 x 25mm	N/A	67mm
24427	Stem	40mm	2	19kg	N/A	N/A	N/A	8mm	49mm

\* Total Height is height of castor when fitted and does not include the stem length.



## Ball Castors



- Suitable for use on furniture such as sofas.
- Provides easy movement on carpets.
- Packed in durable clam packs for retail display - Outers of 6 Packs.

Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Stem Dia.	Total Height*
758235	Plate	50mm	2	18kg	38mm	38mm	25 x 25mm	N/A	63mm
759563	Stem	50mm	2	18kg	N/A	N/A	N/A	8mm	55mm

\* Total Height is height of castor when fitted and does not include the stem length.





# Heavy Duty Castors

For commercial, industrial and other medium to heavy duty applications



# POLYPROPYLENE WHEEL CASTORS

## White Polypropylene Castors

- Polypropylene Castors can handle heavy loads and are resistant to numerous contaminants which make them ideal for a wide range of every day uses and environments.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✗	✓	✗

Can be used around			
Acids	Heat	Oil	Water
✓	✗	✓	✓

## White PP Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
910505	Plate	50mm	1	50kg	58mm	48mm	46 x 35mm	68mm
910758	Plate	75mm	1	70kg	82mm	68mm	62 x 48mm	97mm
911007	Plate	100mm	1	125kg	100mm	80mm	75 x 56mm	125mm
911250	Plate	125mm	1	160kg	100mm	80mm	75 x 56mm	152mm

Plate - No Brake (50mm)



## White PP Castors - Swivel - With Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
920504	Plate	50mm	1	50kg	58mm	48mm	46 x 35mm	68mm
920757	Plate	75mm	1	70kg	82mm	68mm	62 x 48mm	97mm
921006	Plate	100mm	1	125kg	100mm	80mm	75 x 56mm	125mm
921259	Plate	125mm	1	160kg	100mm	80mm	75 x 56mm	152mm

Plate with Brake (50mm)



## White PP Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
931005	Plate	100mm	1	125kg	103mm	83mm	75 x 56mm	125mm
931258	Plate	125mm	1	160kg	103mm	83mm	75 x 56mm	152mm



Plate - No Brake (75 - 125mm)



Plate with Brake (75 - 125mm)



Fixed - No Brake



# RUBBER WHEEL CASTORS

## Heavy Duty Castors - Solid Rubber

- These heavy duty castors have solid rubber wheels that provide excellent mobility for heavy loads on smooth, hard surfaces and finished concrete floors where quiet movement and floor protection are major considerations.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✓	✓	✓

Can be used around			
Acids	Heat	Oil	Water
✗	✗	✗	✗

## Solid Rubber Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
9489	Plate	38mm	1	18kg	45mm	38mm	35 x 28mm	49mm
9477	Plate	50mm	1	41kg	65mm	48mm	54 x 24mm	63mm
9478	Plate	63mm	1	45kg	98mm	70mm	76 x 45mm	83mm
9479	Plate	75mm	1	80kg	105mm	80mm	87 x 60mm	96mm
9480	Plate	100mm	1	103kg	130mm	103mm	102 x 76mm	125mm



## Solid Rubber Castors - Swivel - with Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
9509	Plate	50mm	1	41kg	65mm	48mm	54 x 24mm	63mm
9510	Plate	63mm	1	45kg	98mm	71mm	76 x 45mm	83mm



## Solid Rubber Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
9490	Plate	38mm	1	18kg	45mm	25mm	36 x 15mm	50mm
9481	Plate	50mm	1	41kg	68mm	38mm	54 x 24mm	63mm
9482	Plate	63mm	1	45kg	112mm	55mm	89 x 27mm	83mm
9484	Plate	100mm	1	103kg	157mm	77mm	127 x 45mm	125mm



## Gate Castors - Spring Loaded - No Brake

Supplied in printed polybag with Euro hanging slot.

Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
9785	Bracket	100mm	1	57kg	N/A	N/A	N/A	270mm





# RUBBER WHEEL CASTORS

## Heavy Duty Castors - Semi-Elastic Rubber

- Semi-elastic rubber wheels are used primarily in environments where noise reduction, durability and superior rolling quality are required.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✓	✓	✓

Can be used around			
Acids	Heat	Oil	Water
✗	✗	✗	✓

## Black Rubber Castor - Swivel - Total Lock Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
9287	Plate	80mm	1	60kg	99mm	79mm	80 x 60mm	114mm



## Black Rubber Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
B22396	Plate	75mm	1	60kg	60mm	70mm	40 x 53mm	95mm
BE2666	Plate	100mm	1	80kg	102mm	85mm	60 x 75mm	120mm
BE2667	Plate	125mm	1	100kg	102mm	85mm	60 x 75mm	150mm

## Black Rubber Castors - Swivel - With Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
25178	Plate	75mm	1	60kg	60mm	70mm	40 x 53mm	95mm
BE2670	Plate	100mm	1	80kg	102mm	85mm	60 x 75mm	120mm
BE2671	Plate	125mm	1	100kg	102mm	85mm	60 x 75mm	150mm

## Black Rubber Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
BE2661	Plate	100mm	1	80kg	98mm	85mm	60 x 75mm	120mm
BE2662	Plate	125mm	1	100kg	105mm	85mm	73 x 62mm	150mm



Plate - No Brake



Plate with Brake



Fixed - No Brake

# RUBBER WHEEL CASTORS

## Heavy Duty Castors - Semi-Elastic Rubber

- Semi-elastic rubber wheels are used primarily in environments where noise reduction, durability and superior rolling quality are required.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✓	✓	✓

Can be used around			
Acids	Heat	Oil	Water
✗	✗	✗	✓

## Blue/Grey Rubber Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
29715	Plate	50mm	1	50kg	50mm	50mm	34 x 34mm	70mm
810751	Plate	75mm	1	50kg	65mm	65mm	48 x 48mm	100mm
811000	Plate	100mm	1	70kg	76mm	76mm	55 x 55mm	130mm
811253	Plate	125mm	1	100kg	76mm	76mm	55 x 55mm	155mm

## Blue/Grey Rubber Castors - Swivel - with Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
820507	Plate	50mm	1	50kg	50mm	50mm	34 x 34mm	70mm
820750	Plate	75mm	1	50kg	65mm	65mm	48 x 48mm	100mm
821009	Plate	100mm	1	80kg	76mm	76mm	55 x 55mm	130mm
821252	Plate	125mm	1	90kg	76mm	76mm	55 x 55mm	155mm

## Blue/Grey Rubber Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
831008	Plate	100mm	1	80kg	100mm	59mm	81 x 40mm	130mm
831251	Plate	125mm	1	100kg	100mm	59mm	81 x 40mm	154mm



Plate - No Brake



Plate with Brake



Fixed - No Brake

# RUBBER WHEEL CASTORS

## Heavy Duty Castors - Elastic Blue Rubber

- Elastic blue rubber wheels instantly regain their original form when a force is applied to the castor.
- These castors are easier to move, have excellent rolling quality, noise reduction and shock absorbency.
- Excellent for use on uneven ground such as tarmac, cobbles etc.
- They are also non marking and resistant to abrasion.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✓	✓	✓

Can be used around			
Acids	Heat	Oil	Water
✗	✗	✗	✓

## Elastic Blue Rubber Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
711003	Plate	100mm	1	120kg	99mm	79mm	80 x 60mm	133mm
711256	Plate	125mm	1	160kg	99mm	79mm	80 x 60mm	159mm

## Elastic Blue Rubber Castors - Swivel - Total Lock Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
721002	Plate	100mm	1	120kg	99mm	79mm	80 x 60mm	133mm
721255	Plate	125mm	1	160kg	99mm	79mm	80 x 60mm	159mm

## Elastic Blue Rubber Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
731001	Plate	100mm	1	140kg	99mm	79mm	80 x 60mm	133mm
731254	Plate	125mm	1	140kg	99mm	79mm	80 x 60mm	159mm



Plate - No Brake



Plate with Brake



Fixed - No Brake

# THERMOPLASTIC RUBBER WHEEL CASTORS

## Heavy Duty Castors - Thermoplastic (TPR) Rubber

- TPR wheels are non-marking, durable, protect floors and are resistant to oils and chemicals. With superior endurance qualities and quiet movement, these castors are ideal for furniture, institutional and medical equipment.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✓	✓	✓

Can be used around			
Acids	Heat	Oil	Water
✗	✗	✓	✓

### TPR Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
610504	Plate	50mm	1	40kg	51mm	42mm	38 x 27mm	66mm
610757	Plate	75mm	1	55kg	60mm	60mm	46 x 46mm	99mm
611006	Plate	100mm	1	113kg	60mm	60mm	46 x 46mm	

### TPR Castors - Swivel - With Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
620503	Plate	50mm	1	40kg	51mm	42mm	38 x 27mm	66mm
620756	Plate	75mm	1	55kg	60mm	60mm	46 x 46mm	99mm
621005	Plate	100mm	1	113kg	60mm	60mm	46 x 46mm	

### TPR Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
630502	Plate	50mm	1	40kg	51mm	42mm	38 x 27mm	66mm



Plate - No Brake



Plate with Brake



Fixed - No Brake

## Heavy Duty Castors - Grey Rubber

### Grey Rubber Castor - Swivel - With Brake - All Plastic Hub



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
688.11H	Plate	75mm	1	40kg	74mm	42mm	64 x 32mm	101mm





# POLYURETHANE WHEEL INDUSTRIAL CASTORS

## Heavy Duty Castors - Mould-on Polyurethane (PU)

- Polyurethane (PU) wheels are non-marking, durable, protect floors and are resistant to chemicals and oils. Ideal for heavy industrial and commercial use, the moulded on PU wheels are extremely strong and mounted on heavy gauge cast iron hubs.

Works well on			
Carpet	Ceramic	Concrete	Wood
✓	✗	✓	✗

Can be used around			
Acids	Heat	Oil	Water
✓	✓	✓	✓

### Mould-on PU Castors - Swivel - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
511009	Plate	100mm	1	320kg	114mm	102mm	84 x 72mm	143mm
511504	Plate	150mm	1	410kg	114mm	102mm	84 x 72mm	190mm

### Mould-on PU Castors - Swivel - With Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
521008	Plate	100mm	1	320kg	114mm	102mm	84 x 72mm	143mm
521503	Plate	150mm	1	410kg	114mm	102mm	84 x 72mm	190mm

### Mould-on PU Castors - Fixed - No Brake



Code	Fixing	Diameter	Pack Qty	Max. Load	Plate L	Plate W	Fixing Hole Centres	Total Height
531007	Plate	100mm	1	320kg	114mm	102mm	84 x 72mm	143mm
531502	Plate	150mm	1	410kg	114mm	102mm	84 x 72mm	190mm



Plate - No Brake



Plate with Brake



Fixed - No Brake




# Replacement Wheels






Select Hardware offers an extensive range of replacement wheels for use in household, garden and industrial applications. The range includes economical, rust free plastic hubs, sturdy ball bearing steel hubs, pneumatic and flat-free puncture-proof tyres.

## 1 How to Measure



## 2 Hub Position

Wheels with centred bore hubs are equal sizes on both sides of the wheel and can be mounted in either position. ('C' below). Offset wheels have different length hubs on the each side and must be positioned for correct assembly. ('O' below)



### Wheels - Solid Rubber - Plastic Hub

- Ideal for use for buggies.

**PUNCTURE PROOF**



Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
9616	100mm	None	10mm	Centred	20mm	16mm	30kg	1

### Wheels - Semi-Pneumatic Rubber - Plastic Hub

- Rust free, all-plastic hub.

**PUNCTURE PROOF**

Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
9610	150mm	None	25mm	Offset	38mm	38mm	27kg	1
9611	175mm	None	13mm	Offset	38mm	38mm	27kg	1
9613	200mm	None	13mm	Offset	38mm	42mm	45kg	1



# WHEELS

## Wheels - Semi-Pneumatic Rubber - White Metal Hub

- Strong steel rim with powder-coated finish.
- Ideal for applications where punctures are a problem.
- Wide tread gives the bounce and feel of a pneumatic.
- All terrain functionality without the threat of puncture.

**PUNCTURE  
PROOF**



Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
422602	260mm	Ball	16mm	Offset	52mm	70mm	80kg	1

## Pneumatic Wheels

- Perfect for use on uneven or unsealed ground.
- Thick and chunky tread for extra grip.
- Cushions impact on rough terrain.
- Ball bearings provide smooth movement.



## Pneumatic Wheel - Metal Hub

Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
322605	260mm	Ball	16mm	Offset	52mm	75mm	110kg	1

## Universal Fit Wheelbarrow Wheel - White Metal Hub

- Zero maintenance wheel.
- Provides an air-like ride but can withstand all the common objects that commonly cause punctures.
- Lasts up to 10 times longer than a standard air filled tyre.
- 5/8" Bore - includes additional spacers for 3/4" Bore plus bushing kit and instructions for variable bore/axle size fitting.

**PUNCTURE  
PROOF**



Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
9709	355mm	Ball	Variable	Offset	75mm	75mm	180kg	1



## Pneumatic Wheelbarrow Wheel - Plastic Hub

- Perfect for wheelbarrow use.
- Rubber tyre inflates to 2bar.
- Bushes supplied to accommodate 13 and 25mm axle bore.

Code	Wheel Diameter	Bearing Options	Bore Diameter	Hub Position	Hub Length	Wheel Width	Max Load	Pack Qty
9605SF	350mm	None	13mm/25	Centred	75mm	90mm	100kg	1







# Dollies

Moving dollies for domestic, commercial and industrial use

# DOLLIES & APPLIANCE ROLLERS

## Small Dollies and Appliance Rollers

- Ideal for moving heavy and bulky household items such as fridges, washers etc.

Code	Description	Length	Width	Max Load	Pack Qty	Packs per Outer
11018	Tri Castor Dolly	150mm	150mm	90kg	1	6
11015	Home Trolley Soft Wheel	107mm	82mm	37.5kg	1	4
9848	Appliance Rollers- Plastic	457-710mm	70mm	2	1	
9601	Appliance Rollers- Steel	460-585mm	80mm	545kg	2	1



11018



11015



9601



9848

## Home Dollies

- Ideal for lightweight and household use.
- Strong plywood bases with carry handles.
- Swivel castors for easy movement in all directions.

Code	Description	Length	Width	Max Load	Packs per Outer
11027	Small Rectangular Wood Dolly	450	300	180kg	2
11003	Large Rectangular Wood Dolly	590	490	180kg	4



11027



11003



# DOLLIES

## Heavy Duty Dollies

- Non-Slip rubber coating with protective plastic edging.
- Fitted with strong Blue Elastic rubber castors with roller bearings for smooth running.

Code	Description	Length	Width	No.Castors	Wheel Diameter	Max Load	Packs per Outer
11024	Xcalibur Rectangular Dolly	700	500	4	100mm	450kg	2



## Specialist Dolly

- Supporting ends are covered with carpet to prevent scratching of items.

Code	Description	Length	Width	Max Load	Packs per Outer
11021	Carpeted Furniture Dolly	762	457	300kg	2



# SELECT

## HARDWARE



[www.selecthardware.com](http://www.selecthardware.com)



[sales@selecthardware.co.uk](mailto:sales@selecthardware.co.uk)



+44 (0)121 561 6070



+44 (0)121 561 6080



Hayes Park, The Hayes, Lye  
Nr. Stourbridge, West Midlands  
DY9 8RS UK

Register and order online via the Select Hardware  
U Select portal

